


09/926087

FIG.1



1002200" 29092560

09/926087

FIG.2

LIST OF COMMUNICATION APPLICATIONS AND COMMUNICATION QUALITY:

COMMUNICATION QUALITY REQUIRED BY COMMUNICATION APPLICATIONS		REQUIRED COMMUNICATION SPEED (bps) TO BE EQUAL TO OR HIGHER THAN	REQUIRED TRANSMISSION DELAY (seconds) TO BE EQUAL TO OR LESS THAN	REQUIRED PACKET ERROR RATE (%) TO BE EQUAL TO OR LESS THAN	REQUIRED PACKET LENGTH (bytes) TO BE EQUAL TO OR MORE THAN
COMMUNICATION APPLICATIONS	COMMUNICATION APPLICATION 1	COMMUNICATION SPEED 1	TRANSMISSION DELAY 1	PACKET ERROR RATE 1	PACKET LENGTH 1
	COMMUNICATION APPLICATION 2	COMMUNICATION SPEED 2	TRANSMISSION DELAY 2	PACKET ERROR RATE 2	PACKET LENGTH 2
	COMMUNICATION APPLICATION 3	COMMUNICATION SPEED 3	TRANSMISSION DELAY 3	PACKET ERROR RATE 3	PACKET LENGTH 3

	COMMUNICATION APPLICATION M	COMMUNICATION SPEED M	TRANSMISSION DELAY M	PACKET ERROR RATE M	PACKET LENGTH M

TABLE 20926087

09/926087

FIG.3

LIST OF RADIO COMMUNICATION METHODS AND COMMUNICATION QUALITY:

		COMMUNICATION QUALITY AVAILABLE FROM COMMUNICATION METHODS			
KINDS OF COMMUNICATION METHOD SOFTWARE		REQUIRED COMMUNICATION SPEED (bps) TO BE EQUAL TO OR HIGHER THAN	REQUIRED TRANSMISSION DELAY (seconds) TO BE EQUAL TO OR LESS THAN	REQUIRED PACKET ERROR RATE (%) TO BE EQUAL TO OR LESS THAN	REQUIRED PACKET LENGTH (bytes) TO BE EQUAL TO OR MORE THAN
	RADIO COMMUNICATION METHOD 1	COMMUNICATION SPEED 1	TRANSMISSION DELAY 1	PACKET ERROR RATE 1	PACKET LENGTH 1
	RADIO COMMUNICATION METHOD 2	COMMUNICATION SPEED 2	TRANSMISSION DELAY 2	PACKET ERROR RATE 2	PACKET LENGTH 2
	RADIO COMMUNICATION METHOD 3	COMMUNICATION SPEED 3	TRANSMISSION DELAY 3	PACKET ERROR RATE 3	PACKET LENGTH 3

	RADIO COMMUNICATION METHOD N	COMMUNICATION SPEED N	TRANSMISSION DELAY N	PACKET ERROR RATE N	PACKET LENGTH N

FIG.4




FIG.5

